



**CROWN**  
MACHINERY

Innovative Separation Technology  
From Crown Machinery



## Solutions for Beer Production

### CHINA

No.13093-06-02 Victory Community  
Baita District Liaoyang  
China

### PHILIPPINES

Suite 310 Intramuros Corporate Plaza  
Recoletos St., Intramuros Manila  
Philippines

### USA

6900 46th Street Kenosha  
WI 53144

### KOREA

5-4, Songnim-Ro 48beon-Gil  
yuseong-Gu, Daejeon  
Korea



[sales@crown-machinery.com](mailto:sales@crown-machinery.com)



+86 186 4192 8887



China +86 419 2883215  
Philippines +63 2 2549729  
USA +1 262 656 7680  
Korea +82 42 825 4260



+86 419 212200

Crown Machinery provides best-quality separation equipment from China, support you with the most timely advisory and after-sales service, at the same time promise you favorable prices. We have a great responsibility for our customers and their products and the environment.

- ✓ We continuously maintain the operational reliability and product safety of our high-performance plants and components.
- ✓ We develop new ways to minimize the consumption of resources like water, energy and raw materials.
- ✓ We strive to make the brewing process as efficient as possible.
- ✓ We ensure customer satisfaction with reliable and comprehensive services.



After fermentation or post-processing, obtain mature beer, while most of the protein particles and yeast have been precipitated, but a small amount suspended in wine, to be filtered before packaging.

DBY series Disc Centrifuge is for beer clarification pretreatment properly, the separation of beer liquid and yeast by centrifugal force. Benefit from the belt drive structure, instead of using gear drive, which is not suitable for equipment sealing.), with specific design co2 injection system, effectively prevent the mixing of beer and oxygen, to ensure the quality of beer.

roduced for thousands of years. People love to drink dCentrifuge/ Separator



**DBY series Disc Stac Centrifuge**

DBY series Disc Stack Centrifuge adopts a CO2 inlet system to control brew oxidation, surely provide hermetic working process.

Model	Through-put Capacity (L/H)	Running Load (kw)	Weight(Kg)	Dimensions (mm)		
				Width	Front-to-Back	Height
DBY211	2000-5000	15	1600	1200	1800	1750
DBY214	3000-10000	22	2300	1550	1950	1960
DBY616	5000-15000	45	3400	1730	2380	2060





## 2 0 1 7 C A T A L O G U E

### **PHILIPPINES**

Suite 310 Intramuros Corporate Plaza, Recoletos St., Intramuros, Manila Philippines

Tel: +63 2 2549729

### **CHINA**

No.13093-06-02 Victory Community, Baita District Liaoyang, China

Tel: +86 419 2883215

### **KOREA**

2FL, Hanil bldg, #527-1 Hagi-Dong, Yuseong-Gu, Daejeon, 305-358, Korea

Tel: +82-42-825-4260

### **AMERICA**

6900 46th Street Kenosha,WI 53144,America

Tel:1-262-656-7680

### **AUSTRALIA**

Boundary Road,Laverton North, VIC, Australia.

TEL:+61 0408 836 697

### **PAKISTAN**

Suite# 311, 3rd Floor, Anum Trade Center, Near Ghani Chowrangj, Site Karachi,Pakistan.

TEL:+021 3257 2200

### **Iran**

No.5, 1st floor, Bldg.32, Shahid Hosseini St., Karimkhan Av., Tehran Iran

Tel: +98-21-88321070/4